

The regular meeting of the Board of Health was called to order at 7:32 p.m. Present for this meeting were: Chairwoman Tracy Carluccio, Tony Berberabe, Les Hamilton, Larry Tatsch, and David Wang-Iverson. Members absent: Tim Martin, Ted Peyrek III and Jim Rosso. Also present: Carolyn Fritsch, BOH Administrative Officer.

In compliance with the Open Public Meetings Act, this meeting was advertised as a regularly scheduled meeting in the January 28, 2010 issue of the Hunterdon County Democrat. Notice of the meeting was filed with the Township Clerk, posted on the Township bulletin board and sent to the Hunterdon County Democrat and the Trenton Times, on May 7, 2010.

ANNOUNCEMENTS/AGENDA REVIEW

Ms. Fritsch stated the application for Cullaton, B 11, L 8, 4 Boss Road, has been removed from the evening's agenda.

PRESENTATION OF THE MINUTES - April 27, 2010

Mr. Tatsch motioned to approve the April 27, 2010 minutes as presented, seconded by Mr. Wang- Iverson, and carried by unanimous vote, with one abstention, Mr. Hamilton.

OPEN TO THE PUBLIC (limited to 15 minutes for items not on the agenda)

No public was present.

Mr. Wang-Iverson motioned to close the public comment portion of the meeting, seconded by Mr. Hamilton, and carried unanimously.

UNFINISHED AND NEW BUSINESS

A. Hunterdon County Inspector, Dan Wyckoff

1. **MTBE - HESS GAS STATION / RINGOES DONUTS-** No further update
2. **OWENS - AKA WOODY'S - B 16, L 11 - 202 OLD YORK ROAD -**
The April 22, 2010, letter from the DEP regarding "Progress Report/Remedial Action Workplan addendum" approved the Bio-treatment procedure to help remediation.
3. **542 SPRING HILL ROAD - COMPLAINT # C082109**
Mr. Wyckoff stated he had met with Hunterdon County Health Inspector Enea. Mr. Enea's impression was that the water being discharged from the pipe at 542 Spring Hill Road was connected with the sump pump in the basement of the house. The washing machine water was being diverted to the sump pump, which is illegal. Because Inspector Enea believed the discharge was from the sump pump and gray water from the washer, he did not pursue the pumping of the septic. A dye test had been performed. The test proved inconclusive with regard to the origin of the effluent discharge, because the dye was placed in the washer and the toilet at the same time. Technically, the dye test should be done again.

At the end of March, the Inspector had a conversation with the owner who said he was going away for an extended period of time. Inspector Enea went out to the site on April 27th and May 4th, but did not find anyone at home.

The Board expressed concern that the septic was not pumped and ongoing untreated effluent is being directed into the street and nearest stream. The Board wants action taken in terms of requiring pumping. The complaint has been active for the past seven months, and a notice of violation was issued on January 27, 2010.

Mr. Wyckoff stated he would convey the concerns to the inspector.

Preview Committee

Nothing at this time.

ITEMS OF DISCUSSION

A. Education and Health Issues

6A1 - Report of Analysis dated 4/15/10, from Garden State Labs. Inc., for water sample from the men's room sink at Clawson Park.

Mr. Tatsch reviewed the test results and stated the results were good.

6A2 - E-mails from L. Tatsch and S. Spayd Re: Well Testing Results –

Mr. Tatsch discussed his communications with Mr. Spayd. He suggested an e-mail be sent asking Mr. Spayd if he had had time to review the data, and if there was any interest in promoting the program.

6A3 – E-mail from Flemington Precast, dated 5/4/10, Re: Corrections made to septic System for B 11, L 12

The Board was pleased the corrections were made to the septic system.

6A4 - Fax of 4/27/10 from LINC'S, Re: Potential for Dengue Infection Among Relief Workers Returning From Haiti –

LINC'S information should be available to the public. Ms. Fritsch will check if there is a link on the East Amwell website to the County Health Department website.

B. Administrative Officers Report

There were 15 "Temporary Food Licenses" sold for the Flemington Craft Fair the weekend of May 22nd & 23rd.

CORRESPONDENCE

A. New Jersey - Mr. Hamilton commented that he found the "Spring 2010 Newsletter" from the NJ Local Boards of Health Association interesting. Ms. Carluccio said she wished the Association were more involved with the League of Municipalities.

B. East Amwell - No comments

C. Hunterdon County – A discussion was held regarding the ServSafe information received and sent out to the Board members. Mr. Wyckoff stated restaurants having three items on their menu which are complex foods, that are heated, cooled and then re-heated for service, are required to have a Certified Food Protection Manager on staff.

Mr. Tatsch mentioned he had received a call from Frank Bell of the Hunterdon County Engineering Department regarding a meeting about South County Park. Mr. Bell asked Mr. Tatsch if he would participate in the meeting, along with Mayor Kneski, members of NJDEP and members of Hunterdon County to discuss the septic system issue at South County Park. A short discussion followed.

BILLS OF THE EVENING

A.	Hopewell Valley Engineering	Soil Log Witnessing B 12, L 18, (1 full & ½ day) B 24, L 1.01, (1 full & ½ day) B 25, L 7.13, (2 full days)	\$2420.00
B.	M. Dorio	Refund of fees not used B 41, L 12	\$650.00

Mr. Hamilton moved to approve the “Bills of the Evening” seconded by Mr. Tatsch and carried unanimously.

OPEN TO THE PUBLIC

Mr. Hamilton asked to speak as a member of the public.

Mr. Hamilton brought up the issue of the water runoff from 111 Wertsville Road onto Russell Whitehead’s property at 107 Wertsville Road. Mr. Hamilton stated that it seemed the construction on the site was nearing completion, and he did not see a swale. Mr. Hamilton wondered if a reminder could be sent. Ms. Carluccio suggested Hunterdon County Soil Conservation District be contacted for an update, and reminded the Board that HCSCD had stated they could not require the swale.

Mr. Tatsch moved to close the public session seconded by Mr. Hamilton and carried unanimously.

ADJOURNMENT

Mr. Wang-Iverson motioned, seconded by Mr. Tatsch to adjourn the meeting at 8:18 p.m. The motion carried unanimously.

Respectfully submitted,

Carolyn Fritsch, Administrative Officer
East Amwell Township Board of Health